Author Index

Adams, G. M., 545
Akagi, H., 283
Akerkar, A. S., 543
Albro, P. W., 219
Allen, I. D., 415
Atherton, H. V., 319
Ayers, G. S., 407
Barbaro, A. M., 548
Beckers, J. L., 339
Bell, S., 267
Bella, Jr., A. M., 314
Biagi, G. L., 548
Boček, P., 375, 385
Bond, J. F., 423
Bridgeman, I., 334
Brook, A. J. W., 307
Bučinská, A., 75
Burtis, C. A., 183
Buytenhuys, F. A., 459
Christ, W., 537
Churáček, J., 111
Ciegler, A., 511
Čiha, M., 91
Coper, H., 537
Costantino, U., 289
Cramers, C. A., 13
Craske, J. D., 237
Curtius, H. Ch., 491
Cymbaluk, N. F., 167
De Lindemann, L., 297
Deur-Šiftar, Đ., 59
Dufka, O., 111
Duthie, A. H., 319
Edwards, R. A., 237
Eisenbrand, G., 304, 503
Everaerts, F. M., 339
Fabecic, J., 37
Fishbein, L., 219
Fornstedt, N., 479
Forrest, J. E., 525
Forrest, T. P., 525
Fuchs, A., 327
Fudano, S., 211
Fujita, M., 283
Gasperoni, A., 289
Gombos, G., 441
Gough, T. A., 129
Grzonka, Z., 310
Guerra, M. C., 548
Haken, J. K., 415
Hála, S., 45
Haworth, C., 267
Heacock, R. A., 525
Heathcote, J. G., 267
Hoffsommer, J. C., 243
Homans, A. L., 327
Hüttenrauch, R., 330
Janák, J., 1, 3, 385
Kelly, D. P., 343
Kennedy, W. P., 203
Keprt, L., 385
Kim, Y. S., 314
Kiss, F., 103
Klemm, L. H., 433
Komárek, K., 111
Konishi, K., 211
Kremser, M., 65
Krupčik, J., 119
Kubát, J., 83
Kuraš, M., 45
Kurtzman, C. P., 511
Lederer, M., 556
Lee, F. H. W., 433
Lee, J. C., 203
Liška, O., 119
Lodge, B. A., 517
MacDonald, B. F., 553
McKelvy, J. F., 316
McWilliam, I. G., 391
Malinský, J., 111
Mandel, P., 441
Moczar, E., 277
Moczar, M., 277
Monroe, R. E., 407
Mossholder, J. H., 407
Mulder, J. L., 459
Munday, K. C., 307
Neudoerffer, T. S., 167
Niederwieser, A., 491
Novák, J., 3, 375, 385
Oertel, G. W., 322, 325
O'Neal, M. J., 227
Pacáková, V., 13
Pavlova, M., 346
Penzes, L. P., 322, 325
Peters, A. T., 334
Peurifoy, P. V., 227
Phillips, A. P., 539
Pieš, R., 91
Pollak, M., 103
Porath, J., 479
Pospíchal, O., 103
Premru, L., 65
Preussmann, R., 304, 503
Pronayová, N., 91
Ribeiro de Andrade, I., 13
Rijks, J. A., 13
Roberts, D. J., 525
Sakagami, Y., 283
Sallee, T. L., 545
Salwin, H., 423
Schmidt, D., 537
Scocca, J. R., 316
Scott, C. D., 175

Sen, N. P., 301
Shabtai, J., 433
Šimánek, J., 83
Simard, M. B., 517
Šimeková, J., 91
Simpson, C. F., 129
Sinibaldi, M., 556
Soják, L., 75, 119
Spaczynski, K., 304, 503
Staruszkiewicz, Jr., W. F., 423
Švob, V., 59
Swan, E. P., 553
Tabak, S., 334
Takeshita, R., 283
Thacker, L. H., 175
Uhdeová, J., 23
Umeh, E. O., 139, 147
Uno, H., 348
Vereshchagin, A. G., 155
Verzola, M. R. M., 334
Vincendon, G., 441
Virkola, P., 195
Víška, J., 103
Washington, R. J., 267
Wičarová, O., 3
Wilson Pitt, Jr., W., 175
Woods, L. A., 227
Yamamoto, D., 348
Yasuda, S. K., 253, 261
Zachoval, J., 83
Zado, F. M., 37
Zanetta, J. P., 441
Zhukov, A. V., 155

Subject Index

Acids, quantitative GC determination of β-hydroxybutyric —— with application to eggs, 423

Acids, quantitative GLC determination of aromatic aldehydes and —— from nitrobenzene oxidation of lignin, 167

Adrenaline, the nature of some solvent-derived artifact spots observed during the chromatography of ——, 525

Alcohols, preparative GC resolution of 3,3-dimethyl-2-butanol and other ——, 407

Aldehydes, a quantitative GLC determination of aromatic —— and acids from nitrobenzene oxidation of lignin, 167

Alkanes, open tubular column GC of dehydrogenation products of C_6–C_{10} *n*- ——. Separation and identification of mixtures of C_6–C_{10} straight-chain ——, alkenes and aromatics, 75

Alkenes, open tubular column GC of dehydrogenation products of C_6–C_{10} *n*-alkanes. Separation and identification of mixtures of C_6–C_{10} straight-chain alkanes, —— and aromatics, 75

Alkylbenzene sulphonates, separation and determination of linear and branched chain —— by salting-out chromatography, 211

Alkylmercury, detection of mercury and —— compounds by reversed-phase TLC, 283

Amino acids, effect of ionic strength on poly(D-Asp-L-Lys) in Sephadex gel filtration, 543

Amino acids, an improved method of separating glucosaminitol from galactosaminitol and their amino sugars on an amino acid analyser, 314

Amino acids, an improved technique for the analysis of —— and related compounds on thin layers of cellulose. III. Detection and identification by selective staining, 267

Amino acids, separation of peptides and —— in urine, 491

Amino acids, tetrazole analogues of —— and peptides. II. PC and TLC of tetrazole analogues of ——, 310

Amino acids, the utilisation of 1-dimethylaminonaphthalene-5-sulphonyl chloride for quantitative determination of free —— and partial analysis of primary structure of proteins, 441

Amino sugars, an improved method of separating glucosaminitol from galactosaminitol and their —— on an amino acid analyser, 314

Aniline, determination of formic acid in dilute aqueous solution and separation and determination of —— and toluidine isomers by GC of formanilide and formyl toluidides, 139

Anions, isotachophoresis. Experiments in methanol, 339

Antibiotics, the influence of pH in buffered reversed-phase TLC of penicillins and cephalosporins, 548

Antimicrobial substances, direct bioautography on thin-layer chromatograms as a method for detecting fungitoxic substances, 327

Apparatus, the dependence of flame ionisation detector relative response factors on the configuration of the electrodes, 385

Apparatus, high precision measurement of specific retention volumes, 3

Apparatus, a miniaturised UV flow photometer for use in liquid chromatographic systems, 175

Apparatus, a study of the flame ionisation detector, 391

Apparatus, a system for preparative separation of a wide range of small molecules by gel permeation chromatography in organic liquids, 459

Apparatus, the use of a gas chromatograph–mass spectrometer for the analysis of complex hydrocarbon mixtures, 45

Argentation thin-layer chromatography, —— with silver oxide. I. Separation of pyridine homologues, 334

Aromatics, open tubular GC of dehydrogenation products of C_6–C_{10} *n*-alkanes. Separation and identification of mixtures of C_6–C_{10} straight-chain alkanes, alkenes and ——, 75

Benzo(*b*)thiophene, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433

Boric acid–pyridoxol, elucidation of the structure of —— complexes, 330

Calibration data, statistical processing of —— in quantitative analysis by GC, 375

Carbohydrates, microdetermination of molar ratios of neutral sugars on thin layers of borohydride-reduced cellulose, 316

Carbohydrates, a micro-method for the determination of hydroxylysine and its glycosylated derivatives, 277

Carbonyl dinitrophenylhydrazones, a two dimensional TLC technique for the resolution of mono- ——, 237

Carboxylic acids, determination of formic acid in dilute aqueous solution and separation and determination of aniline and toluidine isomers by GC of formanilide and formyl toluidides, 139
Carboxylic acids, separation and determination of low-molecular-weight straight-chain C_1–C_8) —— by GC of their anilide derivatives, 147
Carboxylic acids, separation of mono- and dibasic fatty acids by GC, 297
Catecholamines, the nature of some solvent-derived artifact spots observed during the chromatography of adrenaline, 525
Cations, isotachophoresis. Experiments in methanol, 339
Cephalosporins, the influence of pH in buffered reversed-phase TLC of penicillins and ——, 548
Chezasorb, properties of acid-washed and silanised Czechoslovak supports: Chromaton N and ———, 103
Chlorauric acid, ion-exchange PC of inorganic ions. XXVII. The adsorption of —— on various exchangers from organic solvents, 556
Chlorophenols, TLC and GLC of derivatives of isomeric ——. Chlorophenyl fluorosulphonyl-benzenesulphonates and related compounds, 219
Chlorophenyl fluorosulphonyl-benzenesulphonates, TLC and GLC derivatives of isomeric chlorophenols. —— and related compounds, 219
Chromaton N, properties of acid-washed and silanised Czechoslovak supports: —— and Chezasorb, 103
Columns, the applicability of the linear free energy relationships for the identification of some alkyl aromatic hydrocarbons by open tubular —— GC, 119
Columns, variation of performance of porous polymer bead —— in GC, 129
Dansyl amino acids, the utilisation of 1-dimethylaminonaphthalene-5-sulphonyl chloride for quantitative determination of free amino acids and partial analysis of primary structure of proteins, 441
Dansyl oestrogens, determination of steroids by densitometry of derivatives. II. Direct fluorometry of ——, 325
Detection, the dependence of flame ionisation detector relative response factors on the configuration of the electrodes, 385
Detection, a miniaturised UV flow photometer for use in liquid chromatographic systems, 175
Detection, a study of the flame ionisation detector, 391
3,3-Dimethyl-2-butanol, preparative GC resolution of —— and other alcohols, 407
Dimethylnitramine, GLC determination of dimethylnitrosamine as —— at picogram levels, 301
Dimethylnitrosamine, GLC determination of —— as dimethylnitramine at picogram levels, 301
Dinitrophenylhydrazones, a two dimensional TLC technique for the resolution of monocarbonyl ——, 237
Dithizonates, detection of mercury and alkylmercury compounds by reversed-phase TLC, 283
DNA, analysis of ribonucleotides and using high-pressure liquid CC, 203
DNA, the determination of the base composition of RNA by high-pressure cation-exchange chromatography, 183
DNA, effects of ultrasonics on the resolution of —— in gel filtration, 539
Dyes, some problems in the purification of monoazo disperse —— by CC on alumina, 534
Esters, GC of homologous ——. Part IV. Influence of stationary phase polarity on retention of unsaturated ——, 415
Fatty acids, heptadecenoic acids as an internal standard in the GC weight determination of ——, 155
Fatty acids, separation of mono- and dibasic —— by GC, 297
Flame ionisation detector, the dependence of —— relative response factors on the configuration of the electrodes, 385
Flame ionisation detector, a study of the ——, 391
Formic acid, determination of —— in dilute aqueous solution and separation and determination of aniline and toluidine isomers by GC of formanilide and formyl toluidides, 139
Fungitoxic substances, direct bioautography on thin-layer chromatograms as a method for detecting——, 327
Galactosaminitol, an improved method of separating glucosaminitol from —— and their amino sugars on an amino acid analyser, 314
Gas chromatograph–mass spectrometer, the use of a —— for the analysis of complex hydrocarbon mixtures, 45
Gas chromatography, the applicability of the linear free energy relationships for the identification of some alkyl aromatic hydrocarbons by open tubular column ——, 119
Gas chromatography, the application of precision —— to the identification of types of hydrocarbon, 13
Gas chromatography, characterisation of polypropylene by pyrolysis ——, 59
Gas chromatography, high precision measurement of specific retention volumes, 3
Gas chromatography, open tubular column —— of dehydrogenation products of C_6–C_{10} *n*-alkanes. Separation and identification of mixtures of C_6–C_{10} straight-chain alkanes, alkenes and aromatics, 75

Gas chromatography, the physico-chemical fundamentals of —— retention on porous polymer columns: Porapak Q and T, 37
Gas chromatography, precision of —— retention data in the manual processing of the chromatogram, 23
Gas chromatography of the products formed by thermal decomposition of "pyrolysis resin", 83
Gas chromatography, properties of acid-washed and silanised Czechoslovak supports: Chromaton N and Chezasorb, 103
Gas chromatography on some self-associating octadecane derivatives, 65
Gas chromatography, statistical processing of calibration data in quantitative analysis by ——, 375
Gas chromatography, "Synachrom", a macroporous copolymer, as a sorption material for ——, 111
Gas chromatography, variation of performance of porous polymer bead columns in ——, 129
Gasoline, chromatographic analysis of primary light —— and Pbi-H fractions of Romashkino crude oil, 91
Gel chromatography, the effect of temperature on the interaction of phenols with Sephadex gels, 307
Gel permeation chromatography, a system for preparative separation of a wide range of small molecules by —— in organic liquids, 459
Glucosaminitol, an improved method of separating —— from galactosaminitol and their amino sugars on an amino acid analyser, 314
Glycitols, an improved method of separating glucosaminitol from galactosaminitol and their amino sugars on an amino acid analyser, 314
Gold, ion-exchange PC of inorganic ions. XXVII. The adsorption of chlorauric acid on various exchangers from organic solvents, 556
Herbicides, TLC and GLC of derivatives of isomeric chlorophenols. Chlorophenyl fluorosulphonyl-benzenesulphonates and related compounds, 219
Heterocycles, GC of some nitrogen and sulphur —— by means of silicone and Bentone–silicone phases, 433
Hydrocarbons, the applicability of the linear free energy relationships for the identification of some alkyl aromatic —— by open tubular column GC, 119
Hydrocarbons, the application of precision GC to the identification of types of ——, 13
Hydrocarbons, application of TLC to —— -type analysis, 227
Hydrocarbons, characterisation of polypropylene by pyrolysis gas chromatography, 59
Hydrocarbons, chromatographic analysis of primary light gasoline and Pbi-H fractions of Romashkino crude oil, 91
Hydrocarbons, GC of the products formed by thermal decomposition of "pyrolysis resin", 83
Hydrocarbons, open tubular column GC of dehydrogenation products of C_6–C_{10} *n*-alkanes. Separation and identification of mixtures of C_6–C_{10} straight-chain alkanes, alkenes and aromatics, 75
Hydrocarbons, the use of a gas chromatograph–mass spectrometer for the analysis of complex —— mixtures, 45
β-Hydroxybutyric acid, quantitative GC determination of —— with application to eggs, 423
Hydroxylysine, a micro-method for the determination of —— and its glycosylated derivatives, 277
Inorganic ions, crystalline insoluble acid salts of tetravalent metals. XI. Synthesis and ion-exchange properties of tin(IV) phosphate and tin(IV) arsenate, 289
Inorganic ions, ion-exchange PC of ——. XXVII. The adsorption of chlorauric acid on various exchangers from organic solvents, 556
Inorganic ions, isotachophoresis. Experiments in methanol, 339
Inorganic substances, detection of some noble metals by heat colouration on thin layers with direct flame, 348
Inorganic substances, the separation of the valency states of rhenium in HCl solutions, 346
Inorganic substances, TLC of inorganic sulphur complunds, 343
Insecticides, TLC and GLC of derivatives of isomeric chlorophenols. Chlorophenyl fluorosulphonyl-benzenesulphonates and related compounds, 219
Ion-exchange chromatography, group fractionation of plasma proteins on dipolar ion exchangers, 479
Isoquinoline, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433
Isotachophoresis, experiments in methanol, 339
Lactic acid, quantitative GC determination of β-hydroxybutyric acid with application to eggs, 423
Lignans, chromatography of the —— of *Thuja plicata* Donn, 553
Lignin, a quantitative GLC determination of aromatic aldehydes and acids from nitrobenzene oxidation of ——, 167
Lipids, heptadecenoic acid as an internal standard in the GC weight determination of fatty acids, 155
Lipids, an improved one-dimensional TLC separation of neutral —— classes, 545

Lipids, one-stage solvent system and one-dimensional TLC separation of milk simple —— classes on 20 × 20 cm plates, 319
Liquid chromatographic systems, a miniaturised UV flow photometer for use in ——, 175
Mercury, detection of —— and alkylmercury compounds by reversed-phase TLC, 283
Metals, crystalline insoluble acid salts of tetravalent ——. XI. Synthesis and ion-exchange properties of tin(IV) phosphate and tin(IV) arsenate, 289
Metals, detection of some noble —— by heat colouration on thin layers with direct flame, 348
Monoazo disperse dyes, some problems in the purification of —— by CC on alumina, 534
Monocarbonyl dinitrophenylhydrazones, a two dimensional TLC technique for the resolution of ——, 237
Nicotinamide, gel filtration behaviour of sulphur- and selenium-containing —— -analogues on Sephadex G-25, 537
Nitramine, GLC determination of dimethylnitrosamine as dimethyl- —— at picogram levels, 301
Nitro compounds, determination of trace amounts of Eastman 910 adhesive in certain plastic-bonded explosives, 261
Nitro compounds, identification and determination of impurities in pentaerythritol tetranitrate, 253
Nitro compounds, quantitative analysis of ——in the micro- to picogram range by a combination of TLC and vapour phase chromatography with the nickel-63 electron capture detector, 243
Nitrosamine, GLC determination of dimethyl- —— as dimethylnitramine at picogram levels, 301
Nitrosamines, separation of carcinogenic —— on Sephadex LH-20, 304
Nitrosamines, trace analysis of N-nitroso compounds. III. Quantitative TLC of ——, 503
N-Nitroso compounds, trace analysis of ——. III. Quantitative TLC of nitrosamines, 503
Nucleic acids, the determination of the base composition of RNA by high-pressure cation-exchange chromatography, 183
Nucleic acids, effects of ultrasonics on the resolution of DNA in gel filtration, 539
Nucleotides, analysis of ribo- —— and deoxyribo- —— using high-pressure liquid CC, 203
Nucleotides, an automated system for ion-exchange chromatography of acid-soluble —— at the nanomole level, 195
Octadecane, GC on some self-associating —— derivatives, 65
Oestrogens, determination of steroids by densitometry of derivatives. I. Assay of —— as azobenzene-4-sulphonates, 322
Oestrogens, determination of steroids by densitometry of derivatives. II. Direct fluorometry of Dansyl ——, 325
Oestrogens, TLC identification of —— and progestogens in oral contraceptives, 517
Oligosaccharides, microdetermination of molar ratios of neutral sugars on thin layers of borohydride-reduced cellulose, 316
Open tubular column gas chromatography, the applicability of the linear free energy relationships for the identification of some alkyl aromatic hydrocarbons by ——, 119
Penicillic acid, fluorodensitometric assay of ——, 511
Penicillins, the influence of pH in buffered reversed-phase TLC of —— and cephalosporins, 548
Peptides, effect of ionic strength on poly(D-Asp-L-Lys) in Sephadex gel filtration, 543
Peptides, separation of —— and amino acids in urine, 491
Peptides, tetrazole analogues of amino acids and ——. II. PC and TLC of tetrazole analogues of amino acids, 310
Pesticides, TLC and GLC of derivatives of isomeric chlorophenols. Chlorophenyl fluorosulphonyl-benzenesulphonates and related compounds, 219
Petroleum resins, application of TLC to hydrocarbon-type analysis, 227
Phenols, the effect of temperature on the interaction of —— with Sephadex gels, 307
Photometer, a miniaturised UV flow —— for use in liquid chromatographic systems, 175
Plasma proteins, group fractionation of —— on dipolar ion exchangers, 479
Polymer bead columns, variation of performance of porous —— in GC, 129
Polypropylene, characterisation of —— by pyrolysis GC, 59
Porapak Q and T, the physico-chemical fundamentals of gas chromatographic retention on porous polymer columns, 37
Progestogens, TLC identification of oestrogens and —— in oral contraceptives, 517
Proteins, effect of ionic strength on poly(D-Asp-L-Lys) in Sephadex gel filtration, 543
Proteins, group fractionation of plasma —— on dipolar ion exchangers, 479
Proteins, a micro-method for the determination of hydroxylysine and its glycosylated derivatives, 277
Proteins, the utilisation of 1-dimethylamino-naphthalene-5-sulphonyl chloride for quantitative determination of free amino acids and partial analysis of primary structure of ——, 441
Pyridine, argentation TLC with silver oxide. I. Separation of —— homologues, 334

Pyridine, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433
Pyridoxol–boric acid, elucidation of the structure of —— complexes, 330
Pyrolysis gas chromatography, characterisation of polypropylene by ——, 59
"Pyrolysis resin", GC of the products formed by thermal decomposition of ——, 83
Quinoline, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433
Retention data, precision of gas chromatographic —— in the manual processing of the chromatogram, 23
Retention volumes, high precision measurements of specific ——, 3
Rhenium, the separation of the valency states of —— in HCl solutions, 346
RNA, analysis of —— and deoxyribonucleotides using high-pressure liquid CC, 203
RNA, the determination of the base composition of —— by high-pressure cation-exchange chromatography 183
Romashkino crude oil, chromatographic analysis of primary light gasoline and Pbi-H fractions of ——, 91
Selenonicotinamide, gel filtration behaviour of sulphur- and selenium-containing nicotinamide-analogues on Sephadex G-25, 537
Stationary phases, GC on some self-associating octadecane derivatives, 65
Steroids, determination of —— by densitometry of derivatives. I. Assay of oestrogens as azobenzene-4-sulphonates, 322
Steroids, determination of —— by densitometry of derivatives. II. Direct fluorometry of of Dansyl oestrogens, 325
Steroids, TLC identification of oestrogens and progestogens in oral contraceptives, 517
Succinic acid, quantitative GC determination of β-hydroxybutyric acid with application to eggs, 423
Sugars, microdetermination of molar ratios of neutral —— on thin layers of borohydride-reduced cellulose, 316
Sugars, see also Carbohydrates
Sulphonates, separation and determination of linear and branched chain alkylbenzene —— by salting-out chromatography, 211
Sulphonates, TLC and GLC of derivatives of isomeric chlorophenols. Chlorophenyl fluorosulphonyl-benzene- —— and related compounds, 219
Sulphur compounds, TLC of inorganic ——, 343
Supports, the physico-chemical fundamentals of GC retention on porous polymer columns: Porapak Q and T, 37
Supports, properties of acid-washed and silanised Czechoslovak ——: Chromaton N and Chezasorb, 103
Supports, "Synachrom", a macroporous copolymer, as a sorption material for GC, 111
Supports, variation of performance of porous polymer bead columns in GC, 129
"Synachrom", a macroporous copolymer, as a sorption material for GC, 111
Thienopyridine, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433
Thionicotinamide, gel filtration behaviour of sulphur- and selenium-containing nicotinamide-analogues on Sephadex G-25, 537
Thiophene, GC of some nitrogen and sulphur heterocycles by means of silicone and Bentone–silicone phases, 433
Thuja plicata Donn, chromatography of the lignans of ——, 553
Tin, crystalline insoluble acid salts of tetravalent metals. XI. Synthesis and ion-exchange properties of —— (IV) phosphate and —— (IV) arsenate, 289
TNT, determination of trace amounts of Eastman 910 adhesive in certain plastic-bonded explosives, 261
Toluidine, determination of formic acid in dilute aqueous solution and separation and determination of aniline and —— isomers by GC of formanilide and formyl toluidides, 139
Toxins, fluorodensitometric assay of penicillic acid, 511
Trinitrobenzene, quantitative analysis of nitro compounds in the micro- to picogram range by a combination of TLC and vapour phase chromatography with the nickel-63 electron capture detector, 243
Vitamins, elucidation of the structure of pyridoxol–boric acid complexes, 330

U·M·I

DUE TO TIGHT BINDING, SOME PAGES DID NOT PHOTOGRAPH WELL, RESULTING IN PRINT MISSING. THIS REPRODUCTION IS MADE FROM THE BEST COPY AVAILABLE.